















An Innovative Spin on Doors




Make an architectural statement and a grand entrance with our Vista Pivot™ doors. These unique doors deliver massive style, while taking up little space, since they rotate within their own footprint. Choose from sleek, stunning aluminum or warm, rich wood clad interior finishes. Vista Pivot™ can be constructed to a height of 14′ and a width of 100″, providing breathtaking solutions for any commercial or residential application.

At Euro-Wall, everything we do is Superior by Design. We constantly push ourselves to provide the highest quality doors with the largest views to give you the freedom to design without limitations.







System Thresholds

MAXIMUM / MINIMUM SPECIFICATIONS

| | IMPACT / NON-IMPACT |
|-------------------|---------------------|
| MAX. PANEL WEIGHT | 700 lbs |
| MAX. PANEL HEIGHT | 168″ |
| MAX. PANEL WIDTH | 100" |
| MIN. PANEL HEIGHT | 48" |
| MIN. PANEL WIDTH | 36" |
| PANEL THICKNESS | 2-1/4" |


Note: The Vista Pivot™ door comes in aluminum, aluminum with interior wood clad, or an interior / exterior faux woodgrain finish. The Vista Pivot™ door can be configured as either an outswing or an inswing. For installations in Florida, please see the Florida Product Approval (#24410) for usage and limitations.



10-Year Limited Warranty

Euro-Wall warrants the products to be free from manufacturing defects for a period of 10 years.





Finish Options

INTERIOR WOOD CLAD FINISHES



Mahogany / Sapele

White Oak





White UC40577



Sunstorm Arcadia Silver UC70123F



STANDARD FRAME & ALUMINUM PANEL FINISHES

Bronze Black UC91252 UC40577



Clear Anodized

- · Powder coat or Kynar® finishes available
- · Custom powder coat or Kynar® finishes available

FAUX WOOD GRAIN FINISHES



Aspen



Burlwood



Chesnut Cherry Cinnamon Red Dark Walnut







Mahogany Red



Rosewood



EXOTIC WOOD FINISHES







Curly Maple



English Oak



Hazelnut Brown Honey Pine



Red Oak




Walnut



Additional exotic wood finish options available upon request.

A faux wood finish is a powder coat with die sublimation to an AAMA 2604 finish qualification. Additional faux woodgrain options available upon request.

Door Panel Options



Hardware / Handle Finish Options

LADDER PULL HANDLE (STANDARD)

Ladder Pull Sizes up to 8' Tall

> Black Bronze Brushed Satin Polished Stainless Steel

MULTIPOINT LOCK HANDLE



Black Bronze **Brushed Satin** Polished Stainless Steel


Note: Natural wood clad available for interior finishes. Faux woodgrain painted finishes available for interior & exterior use.






Top View -Horizontal Cross Section







LEFT HAND OUTSWING



RIGHT HAND INSWING




RIGHT HAND OUTSWING



Optional Drainage System

Euro-Wall offers an optional water management system that allows water to drain away from the pivot door location.




Glazing Details


OVERALL GLASS THICKNESS 1/4" | 3/8" | 1/2" | 9/16" | 1"

We can handle most any type of glass if it meets the required thickness. Let's talk.

9/16" LAMINATED - IMPACT RATED


Stile Top Bottom Rail
Recessed: E0036 E0035
Active (not shown): E0027






1" INSULATED GLASS - IMPACT RATED

Stile Recessed: E0036 Active (not shown): E0027






Top Bottom Rail


E0035

Panel Cross Section

Outswing Configuration 1" Insulated Impact Glass Shown

Header: E0045 Header Block: E0081











Test Performance

IMPACT

Air Infiltration: ASTM E283-04

Water Infiltration: ASTM E331-00

Wind Load: TAS 202-94

Large Missile Impact: TAS 201-94

Cyclic Load: TAS 203-94 Forced Entry: AAMA 1304-18







DESIGN PRESSURE CHARTS

| HVHZ & Wind Zone 3 | | | | | | Unit | Width | | | | | | | |
|--------------------|-----|----|----|----|----|-----------|-------|-------|-------|-------|-------|-------|---|--------|
| | | 60 | 64 | 68 | 72 | 76 | 80 | 84 | 88 | 92 | 96 | 100 | | |
| | 72 | 60 | 60 | 60 | 60 | 60 | 57 | 54.55 | 52.5 | 50.77 | 49.29 | 48 | - | |
| | 78 | 60 | 60 | 60 | 60 | 60 | 56.84 | 54.03 | 51.69 | 49.73 | 48.07 | 46.64 | | |
| | 84 | 60 | 60 | 60 | 60 | 60 | 56.84 | 54 | 51.43 | 49.19 | 47.31 | 45.71 | | |
| | 90 | 60 | 60 | 60 | 60 | 60 | 56.84 | 54 | 51.43 | 49.09 | 46.98 | 45.18 | | |
| | 96 | 60 | 60 | 60 | 60 | 60 | 56.84 | 54 | 51.43 | 49.09 | 46.96 | 45 | | |
| | 102 | 60 | 60 | 60 | 60 | 60 | 56.84 | 54 | 51.43 | 49.09 | 46.96 | 45 | | |
| Unit Height | 108 | 60 | 60 | 60 | 60 | 60 | 56.84 | 54 | 51.43 | 49.09 | 46.96 | | L | – HVHZ |
| | 114 | 60 | 60 | 60 | 60 | 60 | 56.84 | 54 | 51.43 | | | | | |
| | 120 | 60 | 60 | 60 | 60 | 60 | 56.84 | 54 | | | | | | |
| | 126 | 60 | 60 | 60 | 60 | 60 | 56.84 | | | | | | | |
| _ | 132 | 60 | 60 | 60 | 60 | 59.87 | | | | | | | | |
| | 138 | 60 | 60 | 60 | 60 | | | | | | | | | |
| | 144 | 60 | 60 | 60 | 60 | | | - | | | | | | |
| | 150 | 60 | 60 | 60 | - | | | | | | | | | |
| | 156 | 60 | 60 | | | WIND ZONE | | | | | | | | |
| | 162 | 60 | 60 | | | WINDZONE | : 3 | | | | | | | |
| | 168 | 60 | _ | | | | | | | | | | | |

Non-Impact

Unit Width

| | | 60 | 04 | 68 | / /2 | /6 | 80 | 84 | 88 | 92 | 96 | 100 |
|-------------|-----|----|----|----|------|------|------|------|------|------|------|------|
| | 72 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 |
| | 78 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 |
| | 84 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 |
| | 90 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 |
| | 96 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 |
| | 102 | 60 | 60 | 60 | 60 | 56.8 | 55.4 | 55.4 | 55.4 | 55.4 | 55.4 | 55.4 |
| sht | 108 | 60 | 60 | 60 | 60 | 56.8 | 54 | 51.4 | 51.4 | 51.4 | 51.4 | |
| <u>e</u> : | 114 | 60 | 60 | 60 | 60 | 56.8 | 54 | 51.4 | 49.1 | | | |
| Unit Height | 120 | 60 | 60 | 60 | 60 | 56.8 | 54 | 51.4 | | | | |
| Ę | 126 | 60 | 60 | 60 | 60 | 56.8 | 54 | | | | | |
| _ | 132 | 60 | 60 | 60 | 60 | 56.8 | | | | | | |
| | 138 | 60 | 60 | 60 | 60 | | | | | | | |
| | 144 | 60 | 60 | 60 | 60 | | | | | | | |
| | 150 | 60 | 60 | 60 | | | | | | | | |
| | 156 | 60 | 60 | | | | | | | | | |
| | 162 | 60 | 60 | | | | | | | | | |
| | 168 | 60 | | | | | | | | | | |
| | | | | | | | | | | | | |









NEED assistance?

If you have questions about
Vista Pivot™ that have you
spinning, don't worry. Our FOR
YOU Crew™ is always ready to
clear things up with friendly,
one-on-one support.











euro-wall.com





MANUFACTURING & SHOWROOM

2200 Murphy Ct. North Port, FL 34289 888.989.EURO (3876)

SHOWROOM

1211 Stirling Rd., Unit 102, Dania Beach, FL 33004 941.979.5316 EURO-WALL UNLOCKS breathtaking perspectives
THROUGH THE largest, strongest DOOR SYSTEMS
WITH THE MOST DESIGN OPTIONS – ALL BACKED
BY enjoyable, personal SUPPORT – FOR A superior
experience FROM OPEN TO CLOSE.

