

# Vista MultiSlide™



**IMPACT & NON-IMPACT RATED**  
Sliding Door System



#34003  
V2. 082026




# Enjoy the View



Vista Multi Slide™ stands out, whether you need strong impact ratings for hurricane regions or non-impact options for inland construction. When you combine the largest panel heights and widths with the smallest interlock sight line (less than 1"), you get bigger views, bigger support and bigger possibilities.

The massive, gliding panels open and close effortlessly thanks to the EZ Glide roller system. The low-profile sill design offers flexible installation options to suit a variety of project requirements and threshold preferences.

**At Euro-Wall, everything we do is Superior by Design. We constantly push ourselves to provide the highest quality doors with the largest views to give you the freedom to design without limitations.**



## Features & Benefits

### **Thinnest Profile**

Enjoy unobstructed panoramas with the smallest interlock sight lines (less than 1").

### **Panel & Track Options**

Customize your space with flexible configurations, including up to 8 panels in a single stack direction.

### **Largest Impact-Rated Panels**

Get bigger, protected views with fewer panels.

### **Easy Operation**

It's quiet, safe and effortless with automation options available to open and close.

### **Life Wide Open**

Create a seamless connection between indoors and out.

## System Thresholds

### MAXIMUM / MINIMUM SPECIFICATIONS

|                     | IMPACT RATED | NON-IMPACT RATED |
|---------------------|--------------|------------------|
| MAX. PANEL WEIGHT   | 800 lbs      | 800 lbs          |
| MAX. PANEL HEIGHT   | 168"         | 180"             |
| MAX. PANEL WIDTH    | 84"          | 96"              |
| MIN. PANEL HEIGHT   | 32"          | 32"              |
| MIN. PANEL WIDTH    | 24"          | 24"              |
| INTERLOCK THICKNESS | 15/16"       | 15/16"           |
| MAX. # OF PANELS    | 8            | 12               |

**Note:** When using maximum panel widths & heights, panels may exceed maximum panel weight of 800 lbs. Calculated weight check should be done. For installations in Florida, please see the Florida Product Approval (#34003) for usage and limitations.



#### 10-Year Limited Warranty

Euro-Wall warrants the products to be free from manufacturing defects for a period of 10 years.



## System Components

1 Less Than 1"  
Interlock Sight Line

2 Recessed Pull  
C0256

3 Locking Lever  
C0061

4 Ladder Pull

5 Pawl & Catch Wheel  
C0030 / C0031

6 Wheel Assembly  
C0048

7 Adjustable Corner Key  
C0029

8 Frame L Bracket  
C0028



1

5

4

2

3



6


7

8

## Embedded Track Details

The Vista Multi Slide™ sill / track can be fully embedded with a low-profile configuration. The hidden track option allows optimal threshold clearance and creates a clean, seamless interior / exterior sight line.


\*ADA sill options are available for interior applications.



For weather challenged climates, the flush and low profile hidden track systems are manufactured to meet most water rating specifications without the need of a sill riser. The three riser options include the Riser Free (pictured above), High Tide, and Weather Max.

## Less than 1" Sight Line Profile


The Vista Multi Slide™ interlock (where the panels join when the door system is closed) has a PROFILE WIDTH OF LESS THAN 1". This provides the largest uninterrupted view on the market for any impact-rated multi-slide door system.



2-Track: E0015 / Non Thermal-E0117  
 3-Track: E0016 / Non Thermal-E0118  
 4-Track: E0018  
 5-Track: E0019

## Finish Options

### STANDARD FRAME & DOOR PANEL FINISHES



Standard finish is Kynar® AAMA 2605.

### FRAME & DOOR PANEL FINISHES

- Kynar® Liquid Paint or Powder Coat finishes available
- Custom powder coat or Kynar® finishes available
- Custom faux woodgrain finishes available
- Custom handle options available

### INTERIOR WOOD CLAD FINISH OPTION

- Mahogany / sapele
- White oak
- Additional wood species available



Wood clad veneer option shown

## Hardware / Handle Finish Options

### LADDER PULL



Ladder Pull Sizes up to 8' Tall


Brushed Satin  
 Polished Stainless Steel  
 White  
 Bronze  
 Black

### LOCKING LEVER




Brushed Satin  
 White  
 Bronze  
 Black  
 Custom Colors Available

### SILL / TRACK / PERFORMANCE RISERS




Vista RF - Riser Free

Clear Anodized  
 Black Anodized  
 White  
 Bronze  
 Black  
 Custom Colors Available




Vista HT - 5/8" High Tide



Vista WM - 1" Weather Max

**Note:** The colors shown are an approximation of actual color and finish. Actual colors and finishes may vary slightly.



8 | Vista Multi Slide™ Sliding Door System






**Note:** These configurations are just a few examples of the numerous possibilities for Vista Multi Slide™ layout options. For installations in Florida, see the Florida Product Approval (#34003).

## Configurations

Fixed Panel Active Panel




## Specialty Configurations


### POSTLESS CORNER

1 Fixed / 2 Active / 1 Fixed

**Postless Corner Configuration:**  
This configuration is just one of many options and can be produced with up to 8 panels



### SPLIT LEVEL 2 Left / 3 Right



**There's more...** One system, endless geometry: Vista Multi Slide adapts at split corners, such as a transition from 3 to 4 tracks, and delivers flexibility with concave or convex corners.



## Test Performance

### IMPACT

Air Infiltration: ASTM E283-04

Water Infiltration: ASTM E331-00

Wind Load: TAS 202-94

Large Missile Impact: TAS 201-94

Cyclic Load: TAS 203-94

Forced Entry: AAMA 1303-05



#34003

## DESIGN PRESSURE CHARTS

### HVHZ & Wind Zone 3

HVHZ & Wind Zone 3

Unit Width

Unit Height

|     | 42    | 45    | 48    | 51    | 54    | 57    | 60   | 63   | 66   | 69   | 72   | 75   | 78  | 81  | 84  | 90 | 96 |
|-----|-------|-------|-------|-------|-------|-------|------|------|------|------|------|------|-----|-----|-----|----|----|
| 90  | 120   | 120   | 120   | 120   | 120   | 120   | 120  | 120  | 120  | 120  | 120  | 120  | 120 | 120 | 119 |    |    |
| 92  | 120   | 120   | 120   | 120   | 120   | 120   | 120  | 120  | 120  | 120  | 120  | 120  | 120 | 115 | 119 |    |    |
| 96  | 120   | 120   | 120   | 120   | 120   | 120   | 120  | 120  | 120  | 120  | 120  | 120  | 108 | 107 | 106 |    |    |
| 100 | 120   | 120   | 120   | 120   | 120   | 120   | 120  | 120  | 120  | 120  | 120  | 103  | 101 | 100 | 99  |    |    |
| 102 | 120   | 120   | 120   | 120   | 120   | 120   | 120  | 120  | 120  | 120  | 101  | 99   | 98  | 97  | 95  |    |    |
| 104 | 120   | 120   | 120   | 120   | 120   | 120   | 120  | 120  | 120  | 120  | 98   | 96   | 95  | 94  |     |    |    |
| 108 | 120   | 120   | 120   | 120   | 120   | 120   | 120  | 120  | 120  | 94.4 | 92.4 | 90.6 | 89  |     |     |    |    |
| 112 | 120   | 120   | 120   | 120   | 120   | 120   | 120  | 120  | 91.8 | 89.5 | 87.5 | 85.7 |     |     |     |    |    |
| 114 | 120   | 120   | 120   | 120   | 120   | 120   | 120  | 120  | 89.6 | 87.3 | 85.3 | 83.5 |     |     |     |    |    |
| 116 | 120   | 120   | 120   | 120   | 120   | 120   | 120  | 89.9 | 87.4 | 85.1 | 83.1 |      |     |     |     |    |    |
| 120 | 120   | 120   | 120   | 120   | 120   | 120   | 120  | 85.9 | 83.4 | 81.2 | 79.2 |      |     |     |     |    |    |
| 124 | 120   | 120   | 120   | 120   | 117.8 | 112.6 | 84.9 | 82.5 | 79.7 | 77.5 |      |      |     |     |     |    |    |
| 126 | 120   | 120   | 120   | 117.6 | 112   | 107.1 | 83.1 | 80.4 | 78   |      |      |      |     |     |     |    |    |
| 128 | 120   | 120   | 118.1 | 112   | 106.6 | 84.4  | 81.4 | 78.8 | 76.4 |      |      |      |     |     |     |    |    |
| 132 | 113.7 | 113.7 | 107.3 | 101.7 | 96.8  | 81.2  | 78.2 | 75.6 |      |      |      |      |     |     |     |    |    |
| 136 | 103.7 | 103.7 | 97.8  | 92.7  | 81.3  | 78.1  | 75.3 | 72.7 |      |      |      |      |     |     |     |    |    |
| 138 | 99.1  | 99.1  | 93.5  | 88.5  | 79.9  | 76.7  | 73.9 |      |      |      |      |      |     |     |     |    |    |
| 140 | 94.8  | 94.8  | 89.4  | 84.7  | 78.5  | 75.3  | 72.5 |      |      |      |      |      |     |     |     |    |    |
| 144 | 87.6  | 87.6  | 83.1  | 79.2  | 75.8  | 72.7  | 70   |      |      |      |      |      |     |     |     |    |    |
| 150 | 79.8  | 79.8  | 75.2  | 71.1  | 67.6  | 64.4  |      |      |      |      |      |      |     |     |     |    |    |
| 156 | 70.7  | 70.7  | 66.6  | 63    | 59.8  |       |      |      |      |      |      |      |     |     |     |    |    |
| 162 | 63    | 63    | 59.3  | 56.1  |       |       |      |      |      |      |      |      |     |     |     |    |    |
| 168 | 56.4  | 56.4  | 53.1  | 50.2  |       |       |      |      |      |      |      |      |     |     |     |    |    |

HVHZ

WIND ZONE 3

### Non-Impact

| Non-Impact  |     | Unit Width |       |       |      |      |       |       |       |       |      |      |      |      |      |      |      |    |
|-------------|-----|------------|-------|-------|------|------|-------|-------|-------|-------|------|------|------|------|------|------|------|----|
| Unit Height |     | 42         | 45    | 48    | 51   | 54   | 57    | 60    | 63    | 66    | 69   | 72   | 75   | 78   | 81   | 84   | 90   | 96 |
|             | 90  | 120        | 120   | 120   | 120  | 120  | 120   | 120   | 109.1 | 109.1 | 100  | 100  | 92.3 | 92.3 | 85.7 | 85.7 | 80   | 80 |
|             | 92  | 120        | 120   | 120   | 120  | 120  | 120   | 120   | 109.1 | 109.1 | 100  | 100  | 92.3 | 92.3 | 85.7 | 85.7 | 80   | 75 |
|             | 96  | 120        | 120   | 120   | 120  | 120  | 120   | 120   | 109.1 | 109.1 | 100  | 100  | 92.3 | 92.3 | 85.7 | 85.7 | 80   | 75 |
|             | 100 | 120        | 120   | 120   | 120  | 120  | 120   | 120   | 109.1 | 109.1 | 100  | 100  | 92.3 | 92.3 | 85.7 | 85.7 | 80   | 75 |
|             | 102 | 120        | 120   | 120   | 120  | 120  | 120   | 120   | 109.1 | 109.1 | 100  | 100  | 92.3 | 92.3 | 85.7 | 85.7 | 80   | 75 |
|             | 104 | 120        | 120   | 120   | 120  | 120  | 120   | 120   | 109.1 | 109.1 | 100  | 100  | 92.3 | 92.3 | 85.7 | 85.7 | 80   | 75 |
|             | 108 | 120        | 120   | 120   | 120  | 120  | 120   | 120   | 109.1 | 109.1 | 100  | 100  | 92.3 | 92.3 | 85.7 | 85.7 | 80   | 75 |
|             | 112 | 120        | 120   | 120   | 120  | 120  | 120   | 120   | 109.1 | 109.1 | 100  | 100  | 92.3 | 92.3 | 85.7 | 85.7 | 80   | 75 |
|             | 114 | 120        | 120   | 120   | 120  | 120  | 120   | 120   | 109.1 | 109.1 | 100  | 100  | 92.3 | 92.3 | 85.7 | 85.7 | 80   | 75 |
|             | 116 | 120        | 120   | 120   | 120  | 120  | 120   | 120   | 109.1 | 109.1 | 100  | 100  | 92.3 | 92.3 | 85.7 | 85.7 | 80   | 75 |
|             | 120 | 120        | 120   | 120   | 120  | 120  | 120   | 120   | 109.1 | 109.1 | 100  | 100  | 92.3 | 92.3 | 85.7 | 85.7 | 80   | 75 |
|             | 124 | 120        | 120   | 120   | 112  | 112  | 102.7 | 102.7 | 95.2  | 95.2  | 89.2 | 89.2 | 84.4 | 84.4 | 80.5 | 80.5 | 77.3 |    |
|             | 126 | 120        | 120   | 120   | 112  | 112  | 102.7 | 102.7 | 95.2  | 95.2  | 89.2 | 89.2 | 84.4 | 84.4 | 80.5 | 80.5 | 77.3 |    |
|             | 128 | 120        | 107.3 | 107.3 | 96.8 | 96.8 | 88.5  | 88.5  | 82    | 82    | 76.7 | 76.7 | 72.3 | 72.3 | 68.8 | 68.8 | 65.9 |    |
|             | 132 | 120        | 107.3 | 107.3 | 96.8 | 96.8 | 88.5  | 88.5  | 82    | 82    | 76.7 | 76.7 | 72.3 | 72.3 | 68.8 | 68.8 | 65.9 |    |
|             | 136 | 105.6      | 93.5  | 93.5  | 84.2 | 84.2 | 76.9  | 76.9  | 71.1  | 71.1  | 66.4 | 66.4 | 62.5 | 62.5 | 59.3 | 59.3 |      |    |
|             | 138 | 105.6      | 93.5  | 93.5  | 84.2 | 84.2 | 76.9  | 76.9  | 71.1  | 71.1  | 66.4 | 66.4 | 62.5 | 62.5 | 59.3 | 59.3 |      |    |
|             | 140 | 92.7       | 81.9  | 81.9  | 73.7 | 73.7 | 70    | 70    | 63.6  | 63.6  | 58.3 | 58.3 | 54.5 | 54.5 | 51.5 | 51.5 |      |    |
|             | 144 | 92.7       | 81.9  | 81.9  | 73.7 | 73.7 | 70    | 70    | 63.6  | 63.6  | 58.3 | 58.3 | 54.5 | 54.5 | 51.5 | 51.5 |      |    |
|             | 150 | 81.8       | 72.2  | 72.2  | 67.6 | 67.6 | 61.6  | 61.6  | 56.8  | 56.8  | 52.8 | 52.8 | 49.6 | 49.6 |      |      |      |    |
|             | 156 | 72.5       | 66.6  | 66.6  | 59.8 | 59.8 | 54.5  | 54.5  | 50.2  | 50.2  | 46.6 | 46.6 | 43.7 | 43.7 |      |      |      |    |
|             | 162 | 67.2       | 59.3  | 59.3  | 53.2 | 53.2 | 48.4  | 48.4  | 44.6  | 44.6  | 41.4 | 41.4 |      |      |      |      |      |    |
|             | 168 | 60.2       | 53.1  | 53.1  | 47.6 | 47.6 | 43.3  | 43.3  | 39.8  | 39.8  | 36.9 | 36.9 |      |      |      |      |      |    |
|             | 174 | 54.1       | 47.7  | 47.7  | 42.7 | 42.7 | 38.8  | 38.8  |       |       |      |      |      |      |      |      |      |    |
|             | 180 | 48.8       | 43    | 43    | 38.5 | 38.5 | 34.9  | 34.9  |       |       |      |      |      |      |      |      |      |    |



## NEED *extra* SUPPORT

Do you have questions about Vista Multi Slide™ and how it can make an impact in your space? Our FOR YOU Crew™ is always ready with friendly, one-on-one support.





euro-wall.com



**American**  
CRAFTSMANSHIP

**MANUFACTURING & SHOWROOM**

2200 Murphy Ct.  
North Port, FL 34289  
888.989.EURO (3876)

**SHOWROOM**

1211 Stirling Rd., Unit 102,  
Dania Beach, FL 33004  
941.979.5316

EURO-WALL UNLOCKS *brehtaking perspectives*  
THROUGH THE *largest, strongest* DOOR SYSTEMS  
WITH THE MOST DESIGN OPTIONS – ALL BACKED  
BY *enjoyable, personal* SUPPORT – FOR A *superior*  
*experience* FROM OPEN TO CLOSE.



© 2025 Euro-Wall, LLC. Unless Otherwise noted, all proprietary names are trademarks of Euro-Wall. All rights reserved.

