

A New Point of View





Introducing the all-new Vista DS™ fixed window system, engineered to beautifully complement our innovative door systems.

Designed from the ground up based on feedback from our popular Storefront™ product, Vista DS™ offers some of the thinnest profiles for either fixed or operable fenestration products (just 1 ¼″) – providing a sleek, modern appearance. It also boasts expansive height and width dimensions, maximizing the glass-to-frame ratio that enhances natural light and delivers unobstructed views.

It's the perfect choice for any project, combining personal support with cutting-edge design.





Test Performance

Air Infiltration: ASTM E283-19

Water Infiltration: ASTM E331-00(23)

Wind Load: TAS 202-94

Large Missile Impact: TAS 201-94

Cyclic Load: TAS 203-94







#FL46965

DESIGN PRESSURE CHART (SINGLE UNIT)

HVHZ, WZ3, & Non-Impact

Panel Width

		36	42	48	54	60	66	72	78	84	90	96	102	108
	78	70	70	70	70	70	63.6	58.3	53.8	53.8	53.8	53.8	53.8	53.8
	84	70	70	70	70	70	63.6	58.3	53.8	50	50	50	50	
j	90	70	70	70	70	70	63.6	58.3	53.8	50	46.7	46.7		
	96	70	70	70	70	70	63.6	58.3	53.8	50	46.7			
	102	70	70	70	70	70	63.6	58.3	53.8	50				
Panel Height	108	70	70	70	70	70	63.6	58.3	53.8					
	114	70	70	70	70	70	63.6	58.3						
	120	70	70	70	70	70	63.6	58.3						
	126	70	70	70	70	70	63.6							
۱ ۵	132	70	70	70	70	70								
	138	70	70	70	70	70								
	144	70	70	70	70	70								
	150	70	70	70	70									
	156	70	70	70	70									
	162	70	70	70										
	168	70	70	70										

DESIGN PRESSURE CHART (MULTIPLE UNITS)

HVHZ

Panel Width

		36	42	48	54	60	66	72	78	84	90	96	102	108
	78	70	70	70	70	70	63.6	58.3	53.8	53.8	53.8	53.8	53.8	53.8
	84	70	70	70	70	70	63.6	58.3	53.8	50	50	50	50	
İ	90	70	70	70	70	70	63.6	58.3	53.8	50	46.7	46.7		
ght	96	70	70	70	70	70	63.6	58.3	53.8	50	46.7			
Panel Height	102	70	70	70	70	70	63.6	58.3	53.8	50				
	108	70	70	70	70	70	63.6	58.3	53.8					
	114	70	70	70	70	70	63.6	58.3						
	120	70	70	70	70	70	63.6	58.3						
	126	70	70	70	70	70	63.6							
	132	70	70	70	70	70								
	138	70	70	70	70	70								
	144	70	70	70	70	70								

WZ3, & Non-Impact

Panel Width

		36	42	48	54	60	66	/2	/8	84	90	96	102	108
	78	70	70	70	70	70	63.6	58.3	53.8	53.8	53.8	53.8	53.8	53.8
	84	70	70	70	70	70	63.6	58.3	53.8	50	50	50	50	
	90	70	70	70	70	70	63.6	58.3	53.8	50	46.7	46.7		
	96	70	70	70	70	70	63.6	58.3	53.8	50	46.7			
	102	70	70	70	70	70	63.6	58.3	53.8	50				
	108	70	70	70	70	70	63.6	58.3	53.8					
υ I	114	70	70	70	70	70	63.6	58.3						
	120	70	70	70	70	70	63.6	58.3						
	126	70	70	70	70	70	63.6							
	132	70	70	70	70	70								
	138	70	70	70	70	70								
	144	70	70	70	70	70								
	150	70	70	70	67.6									
	156	70	70	66.6	59.8									
	162	70	67.2	59.3										
	168	69.7	60.2	53.1										

System Thresholds

MAXIMUM / MINIMUM SPECIFICATIONS

SINGLE UNIT

	IMPACT RATED	NON-IMPACT RATED
MAX. PANEL HEIGHT	168"	168"
MAX. PANEL WIDTH	108"	108"
MIN. PANEL HEIGHT	18"	18"
MIN. PANEL WIDTH	18"	18"

Note: The height and width are interchangable to accomodate vertical or horizontal arrangements.

MULTIPLE UNITS

	HVHZ	WZ3 & NON-IMPACT
MAX. PANEL HEIGHT	144"	168"
MAX. PANEL WIDTH	108"	108"
MIN. PANEL HEIGHT	18"	18"
MIN. PANEL WIDTH	18"	18"

Note: For installations in Florida, please see the Florida Product Approval (FL46965) for usage and limitations.



10-Year Limited Warranty


Euro-Wall warrants the products to be free from manufacturing defects for a period of 10 years.








Glazing Details





OVERALL GLASS THICKNESS

1/4" | 1/2" | 9/16" | 1"

We can handle most any type of glass if it meets the required thickness. Let's talk.

Finish Options

STANDARD FRAME & DOOR PANEL FINISHES



Standard finish is Kynar AAMA 2605

FRAME FINISHES

- · Kynar® Liquid Paint or Powder Coat finishes available
- · Custom powder coat or Kynar® finishes available
- · Custom faux woodgrain finishes available

INTERIOR WOOD CLAD FINISH OPTION

- · Mahogany / sapele
- · White oak
- · Additional wood species available

Wood clad veneer option shown

Wood Clad Finishes

Our interior-only wood-clad finish options include our standard finishes of white oak and mahogany / sapele. Additionally, we offer a variety of exotic wood species for cladding (see samples below).

Standard Wood Cladding Finishes





Mahogany / Sapele

Exotic Wood Clad Finishes














Note: Additional Exotic clad finishes available upon request and supply.


The colors shown are an approximation of actual colors and finishes. Actual finishes may vary slightly.







Single Lite CAD details









Top Down Cross Section






Vertical Cross Section

Divided Lite CAD details



Exterior Front Elevation



Frame: E0223 Frame Cover: E0224

Top Down Cross Section

Male Divider: E0227 Male Cover: E0229 Female Divider: E0228 Female Cover: E0230





euro-wall.com

f h X ⊙ P in



MANUFACTURING & SHOWROOM

2200 Murphy Ct. North Port, FL 34289 888.989.EURO (3876)

SHOWROOM

1211 Stirling Rd., Unit 102, Dania Beach, FL 33004 941.979.5316 EURO-WALL UNLOCKS breathtaking perspectives
THROUGH THE largest, strongest DOOR SYSTEMS
WITH THE MOST DESIGN OPTIONS – ALL BACKED
BY enjoyable, personal SUPPORT – FOR A superior
experience FROM OPEN TO CLOSE.





